	CLASSIFICATION SECRET, SI		OH	50)
	CENTRAL INTELLIGE		REPORT	
	INFORMATION	I REPORT		
COUNTRY	USSR/Germany (Soviet Zone)	CRET.	DATE DISTR. 19 Mar 52	
SUBJECT	Soviet Army Anti-Aircraft Practices and Equipment	s .	NO. OF PAGES 5	
			NO. OF ENCLS.	
			SUPPLEMENT TO REPORT NO.	5
THIS DOCUMENT	CONTROL INFORMATION PERCENTS THE NATIONAL CITEMAN STATES, WITHIN THE MINING OF THEM IN. SECTIONS 193 LUCY CONTROL AND ADMINISTRATIONS OF THE SECTIONS 194 STATES.	THIS IS UN	EVALUATED INFORMATION	
AND 794, OF TH LATION OF STS PROHIBITED BY	. U.S. CUDY. AS AMENGID. 113 "MARINGUE CONTROLS TO OR ALCOLOTE AS A UNACTHORIZED FIRSON IS.  AB. THE REPODUCTION OF THIS TORM IS PROVIDED TO.	71110 10 011		
				į
				(
	The "Malakhit" radar is of recent of	desim		
	"Malakhit" radar was said to be ada	aptable to, and in	ntended for use with, all	L
	types of anti-aircraft, guns.	FCRFT		
	<u></u>			
	3	in VI I in M		
	CLASSIFICATION SECRET/SECUL	RITY IMPORMATION		-

SECRET/SECURITY INFORMATION

50X1-HUM

..2...

SECRET

7.	EOV4 LILIM
	It was designed specifically for anti-discraft fire-control, and is used in connection with all medium and heavy AA guns in "PVO" defense of major "Ist class" cities.
3	
	"Malakhit" is definitely mobile
9	
	The complete "Malakhit" AA system consists of a radar and computer installed in a single vehicle, plus electro-mechanical data transmission and indication means for an associated battery.
10.	
	It controls one battery only, as compared with the older "SON" radars which service four batteries.
11.	
	It was said to be impractical for tactical fire-control;
12.	
	"Melakhit" is able to "search" out to 50 km on occasion, but to operate reliably to 28 km.
13.	restably to 20 Mi.
10.	
	The altitude capability of "Malakhit" was stated to be about 10 km for fire-control functioning.
14.	
	With "Malakhit", it was said that all computing was done in the radar vehicle itself, with the final data being transmitted by "Selsyn" type electro-mechanical means to the batter; position up to some 600 meters away. This was a great improvement over the older "SON" type radar installations, in which "PUAZO" mechanical predictors were situated at each battery position, with the radar information being sent to them from the "SON" point by telephone.  50X1-HUM
15.	
	Gun-aiming is effected manually, by reference to the "Selsyn" type indicators mentioned above. Thus the elevation, asimuth, and automatic range-setting controls are actuated by the gunners in accordance with the motion of the indicators. In the "SON" system, a telephone operator at each battery calls out the three types of information to the "PUAZO" operators as it arrives. Thus the operator at each battery may call out first, azimuth information, them elevation, etc. The "Malakhit" means of information presents tion at the guns is a "polar coordinate" system. The gunners followed, with manual controls, the indications of associated automaticall, operated (by the radar) dials or drums.  "Malakhit" has its own computer, and does not use a "PUAZO" at the battery. The "Malakhit" system was believed to be much superior to the older "SON-PUAZO" combinations. In this connection, it was said that the "PUAZO 3" is still widely used, but that its intended successor, "PUAZO 4", was discontinued soon after its introduction in 1948. No radio tubes were ever seen in any of the "PUAZO'S", and operated since "FUAZO'S" are purely mechanical devices.  50X1-HUM
6.	50X1-HUM
	about eleven men were required to operate the "Malakhit" radar and computer, including the gas-electric power supply. In comparison, at least 40 men were required to operate "SON-2" complete with four batteries of four gams each. Two parts of the "SON-2" were to obtain and interpret data at the central location, with additional personnel working at each battery, operating the "PhAZO" computers. As was mentioned previously, the three types of data are telephoned from the "SON" position out to the batteries, where a single telephone operator at each is required to relay the information verbally

SECRET

SECRET/SECURITY INFORMATION

-5-

## SECRET

to the "PUAZO" operators. Since "Malakhit" controls only one battery, forty-four men and four "Malakhits" would be needed to match the four batteries controled by one "SON". 17. "Malakhit, by means of its computer, supplies its own "I" factor. 18. "Malakhit" was said to be much smaller - more compact - than "SCR" redars. 19. the antenna used with "Malathit", was mounted on the roof of the vehicle containing the apparatus. 20 21. provision for connection, through transformers, to local power supply systems was included in both "Malakhit" and "SON" radar installations. 22. a new 57 mm (Bofors type ?) you which has been developed, produced, and already deployed specifically for use against love Tying jet arresaft. This 57 mm gun incorporates a opecial fire-direction instrument. The gunner, who sits 50X1-HUM on the gun-carriage and moves around with it, sights this device visually on the low-flying (under 2000 ft.) aircraft. However, information concerning the general direction from which the aircraft are approaching is also supplied to the gunner from an associated "Malakhit" radar which is used for acquisition - search only. it was transmitted by electro-mechanical (synchro-selson time) meens, with a polar-coordinate presentation of some sort. 23 The aircraft position data, as derived from the visual-tracking last coment sighted by the gunner, was transmitted to a small computer standing nearby The commuter then supplied the actual gun-aiming data to the gun. The whole system was very modern and effective, and a great improvement over previous direct-niming method. In addition, the importance of the improvement afforded by the use of the associated "Malakhit" radar in the effectiveness of the 57 mm gun should not be overlooked. 24 many of these 57 mm "Malakhit"-gun combinations were deployed in the USSR, and in particular along the Polish border. 25 The gun was first manufactured in Czechoslovakia, and later in the USSR 26 The range of the gun was 10 km, with altitude operation up to 6 km. The muzzle velocity was 1100 meters/second, with a firing rate of two to three per second. 27 ULUITEE

SECRET/SECURITY INFORMATION

50X1-HUM

..4-

## SECRET

	normal	
_	operation of the gun with associated radar was for daylight use against low-flying jet aircraft.	
	seall boilts dadally dod a doors.	
	the 57 mm gun and direction device are mobile.	
	Wight-firing anti-mircraft practice took place at Koenigsbruck and Stettin ranges  firing out to see. A target was towed 3 km behind slow	
	aircraft (120 meters/second), which generally flew at six km altitude. A "SON-3" radar	0X <sup>2</sup>
	Note: (1), a "SON-2" radar was	
	used; small 50 caliber artillery was used; (4), slow-moving aircraft at 2000 meters altitude, rollowed	)X1
	by searchlights were used: and (5).	
	pretty good results were obtained by the Soviets during World War II with the	
	"SON-2" radar.7	
	the "PRS-3", "RUS", and "REDUT" radar equipments are	
	rather old and in some cases obsolete. the "SP" radar was a very small,	
	mobile set.	
	a large rudar school for the Soviet Army and Air Force exists at Kharkov,	
	and that courses in artillery radar are given there. a large new- 50 weapons school, the name of which is "Elektro-Reaktivnyy Snaryad" ("ERS"), is located at	0X′
	Kharkov.	
	week within the control of viscilar and an makety was being	
	work on this device, on guided missiles, and on reckets, was being done at a large experimental station somewhere in the Caucasus, baseibly near "Maykap",	
	and also a special artillery range was situated there. some 50 missile firings having occured at "Maykap" in 1830.	0X′
	maddio furthy footing control to may have	
	the range-dispersion pattern due to fusing inaccuracies in connection with 85 mm, 90 mm. and 105 mm anti-aircraft fire	
	90 mm, and 105 mm anti-aircraft lire	
	About 100 meters.	

SECRET

SECRET/SECURITY INFORMATION
SECRET
50X1-HUM
50X1-HUM

Sanitized Copy Approved for Release 2011/02/23 : CIA-RDP80-00809A000600020021-2

An 85 mm anti-aircraft regiment has 96 gams, arranged in 16 batteries.

Soviet tanks use gyro-stabilized guns - stabilized in pitch but not in roll.

38

39

-end-